

CHAIRPERSON

**Department of Obstetrics & Gynecology,
JNMC, AMU, Aligarh.**

D. No. 2003/06/20

Date:02.01.2020

QUOTATION NOTICE

Subject: Supply and installation of Hospital curtains with track in Department of Gynecology and Medical College.

Sealed quotations are being invited to be received in the office of the Chairman, **Department of Obstetrics Gynecology, JNMC, AMU, Aligarh** for the supply of following items till **16.01.2020 by 04:00 PM**. All concerned suppliers/manufacturers are requested to quote your best competitive rates for the same as per following:

| S.No | Description | Qty. | Unit |
|------|---|--------|--------------|
| 1 | <p>Hospital Curtains with Track for 13 beds (Providing and fixing).</p> <p>1) CUBICAL TRACK Made of Metal Aluminum Alloy of Box size 1.7 x 20 x25mm with 50-60 microns' thick powder coating in white color finish. Track are bendable to a radius of 300 mm at 90 degrees to cover the whole bed.</p> <p>2) CURTAIN: Made of hospital grade premium quality Stain retardant fabric with High quality fabric Net of 18" or 24" on top.</p> <p>3) SUPPORTING SYSTEM OF TRACK CONSISTS OF THE FOLLOWING MATERIAL:</p> <p>WALL BRACKET – Made of CRC steel with white powder coating finish.</p> <p>i. Bridge Clamp – Made of CRC steel with powder coating finish.</p> <p>ii. Roof Suspension – Made of aluminum pipe of 12.5 mm & 19.5mm diameter. The Upper Circular Plate made of aluminum with 50.4mm diameter thickness. These are with white powder coating (outer surface) finish & are of variable height fixed with ceiling with anchors, bolts, screws etc.</p> <p>4) CURTAIN REMOVABLE POINT: Made of SS for simple loading & unloading of curtain. (Also serves as an end hook retainer).</p> <p>5) RUNNER: - Comprises of wheel type runners made of Teflon for easy and smooth sliding of the curtain.</p> | 165.11 | Square meter |

Zehra Mohsin

**Prof. Zehra Mohsin
Chairperson**

Chairperson

Deptt. of Obst. & Gynecology
J.N. Medical College
A.M.U., Aligarh