

ENQUIRY FORM

**DEPARTMENT OF PETROLEUM STUDIES
FACULTY OF ENGG. & TECH.
Aligarh Muslim University, Aligarh-202002**

To
M/s.....
.....
.....

*R.No. 1029/CC
29/03/17*

Chairman/IPS/D: **1941/Ext.**

Dated: 28.03.2017

Dear Sir,

Please quote your lowest rates, allowing concessions given to Technical Institutions, if any, for the following article keeping in view the terms and condition overleaf, Illustrations / specifications stating delivery time should be given in each case, Quotation should reach this office on or before **15/04/2017** under sealed cover.

Last Date: 15.04.2017

S. No.	PARTICULARS
1.	<p>Make : FERROTEK / OR Certified Company make with CE & ISO 9001</p> <p>Vacuum Oven of CE and ISO 9001 Certified Company (Designed and Fabricated to suit various I.S. & A.S.T.M. standards) with Time proportionate digital Temperature controller with following specification:</p> <p>i. Internal size : 12 inches x 12 inches (Dia x Depth).</p> <p>Double walled units with outer made of MS Sheet duly epoxy powder coated and inner made up to heavy SS-304 gauge Sheet and M.S. Lid., Space between inner chamber and outer wall is filled with high grade mineral wool for minimal heat. Loss. Temperature Range from +5°C ambient to 200°C is controlled by Digital Temperature Indicator cum Controller with an accuracy of ± 1 °C. Provided with Silicon Rubber Gasket, Vacuum Gauge. See through transparent window of toughened glass at the door and shelves. Provided with 02 Nos SS Trays. To work on 220/230 Volts. AC, without Vacuum Pump.</p>
2.	<p>Vacuum Pump for above (Vacuum Range: 10`~ 600 mm Hg)</p> <p>Conditions: Quotation must include the following otherwise it will be rejected.</p> <p>i. Rate should be quoted FOR Aligarh</p> <p>ii. Please enclose the Certificate from the dealer Certifying you as the Authorized representative.</p> <p>iii. Warranty must be at least for 03 years</p> <p>iv. It is desirable that a supplier should be registered with the Finance Office of AMU, Aligarh</p> <p>v. If the Order is not complied with then the University will be requested to black list your firm</p> <p>vi. The validity of the quotation must be at least for 30 days</p> <p>vii. Please provide the Maximum discount possible to the Academic Institutions</p>

[Signature]
28032017

